

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: ISOVIT REV SP

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Paint

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

Secil Martingança SA Rua do Mercado 2405-018 Maceira Leiria - Portugal Phone.: +351244770220 - Fax: +351244777997 comercial.seciltek@secil.pt https://www.seciltek.com

1.4 Emergency telephone number: CIAV: 800 250 250

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

Product classified regardless of its extreme pH.

CLP Regulation (EC) No 1272/2008:

The product is not classified as hazardous according to CLP Regulation (EC) No 1272/2008.

2.2 Label elements: CLP Regulation (EC) No 1272/2008:

None

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Mixture of substances

Components:

None of the substances contained in the mixture are above the values fixed in Annex II of Regulation (EC) No 1907/2006

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

Consult a doctor in case of discomfort showing the SDS for the product.

By inhalation:

In case of symptoms, move the person affected into fresh air.

By skin contact:

In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety data Sheet

By eye contact:

Rinse with water until the product has been eliminated. In case of problems, consult a doctor showing the SDS for the product.

By ingestion/aspiration:

In case of consumption in large quantities, it is recommended to seek medical assistance.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.



SECTION 4: FIRST AID MEASURES (continued)

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Product is non-flammable, with a low risk of fire due to the flammabliity characteristics of the product in normal conditions of storage, handling and use. In the case of the existence of sustained combustion as a result of improper handling, storage or use any type of extinguishing agent can be used (ABC Powder, water,...)

5.2 Special hazards arising from the substance or mixture:

Due to its non-flammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

It is recommended to transfer at a slow speed to avoid the creation of electrostatic charges that could affect flammable products. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is not necessary to take special measures to prevent environmental risks. For more information see subsection 6.2

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 5 °C



SECTION 7: HANDLING AND STORAGE (continued)

Maximum Temp.: 30 °C

Maximum time: 6 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace

There are no occupational exposure limits for the substances contained in the product

DNEL (Workers):

Non-applicable

DNEL (General population):

Non-applicable

PNEC:

Non-applicable

8.2 Exposure controls:

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

| Pictogram | PPE | Labelling | CEN Standard | Remarks |
|------------------------------|--|-----------|--------------|---|
| Mandatory hand protection | Protective gloves against minor risks | CATI | | Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2003+ A1:2009 and EN ISO 374-1:2016 |

"As the product is a mixture of several substances, the resistance of the glove material can not be predicted in advance with total reliability and has therefore to be checked prior to the application"

D.- Ocular and facial protection

| | Pictogram | PPE | Labelling | CEN Standard | Remarks |
|---|------------------------------|--|-----------|---------------------------------|---|
| | Mandatory face protection | Panoramic glasses against splash/projections. | | EN 166:2001 EN ISO 4007:2018 | Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. |
| E | Body protection | | | | |

| Pictogram | PPE | Labelling | CEN Standard | Remarks |
|-----------|---------------|-----------|--------------|--|
| | Work clothing | CATI | | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994. |



| | Pictogram | PPE | Labell | ing | CEN Standard | Remarks |
|---|---|---|-----------------|--|--|--|
| | | Anti-slip work sh | | € III E | N ISO 20347:2012 | Replace before any evidence of deterioration. periods of prolonged exposure to the product professional/industrial users CE III is recommended, in accordance with the regulation in EN ISO 20345:2012 y EN 13832-1:2007 |
| F | Additional emerge | ency measures | | | | |
| | It is not necessary | y to take addition | al emergency me | easures. | | |
| Env | /ironmental exp | osure controls: | | | | |
| spill | accordance with th lage of both the p la tile organic co | roduct and its cor | | | | t is recommended to avoid environmental on 7.1.D |
| Witl | h regard to Direct | ive 2010/75/EU, t | his product has | the following | characteristics: | |
| | V.O.C. (Supply): | | 0,9 % weight | | | |
| | V.O.C. density at | 20 °C: | Non-applicable | 9 | | |
| | Average carbon n | umber: | 12 | | | |
| | Average molecula | ar weight: | 184,4 g/mol | | | |
| | | | | | | |
| TION | 9: PHYSICAL A | and chemical | . PROPERTIES | 5 | | |
| Inf | ormation on bas | sic physical and | chemical prop | erties: | | |
| For | complete informa | ition see the prod | uct datasheet. | | | |
| Арр | pearance: | | | | | |
| Phy | sical state at 20 o | C: | | Liquid | | |
| Арр | earance: | | | Not availat | ble | |
| Colo | our: | | | Not availat | ble | |
| Odo | our: | | | Not availab | he | |
| | | | | Not availat | | |
| Odo | our threshold: | | | Not availat | | |
| | our threshold: atility: | | | | | |
| Vol | | spheric pressure: | | | | |
| Vol Boil | atility: | | | Non-applic 100 °C 2300 Pa | able * | |
| Vol Boil Vap Vap | atility: ing point at atmos our pressure at 20 our pressure at 50 | 0 °C: 0 °C: | | Non-applic 100 °C 2300 Pa | | |
| Vol Boil Vap Vap | atility: ing point at atmos oour pressure at 20 | 0 °C: 0 °C: | | Non-applic 100 °C 2300 Pa | able * a (3,16 kPa) | |
| Vol Boil Vap Vap Eva | atility: ing point at atmos our pressure at 20 our pressure at 50 | 0 °C: 0 °C: 0 °C: | | Non-applic 100 °C 2300 Pa 3164,83 Pa Non-applic | able * a (3,16 kPa) able * | |
| Vol Boil Vap Vap Eva Pro | atility: ing point at atmos our pressure at 20 our pressure at 50 poration rate at 20 | 0 °C: 0 °C: 0 °C: | | Non-applic 100 °C 2300 Pa 3164,83 Pa | able * a (3,16 kPa) able * | |
| Vol Boil Vap Vap Eva Pro Den | atility: ing point at atmost pour pressure at 20 pour pressure at 50 poration rate at 20 pouct description | 0 °C: 0 °C: 0 °C: n: | | Non-applic 100 °C 2300 Pa 3164,83 Pa Non-applic Non-applic 1,43 - 1,49 | able * a (3,16 kPa) able * able * | |
| Vol Boil Vap Vap Eva Pro Den Rela | atility: ing point at atmos your pressure at 20 your pressure at 50 poration rate at 20 poration rate at 20 pouct description nsity at 20 °C: | 0 °C: 0 °C: 0 °C: n: | | Non-applic 100 °C 2300 Pa 3164,83 Pa Non-applic | able * a (3,16 kPa) able * able * | |
| Vol. Boil Vap Eva Pro Den Rela Dyn | atility: ing point at atmost pour pressure at 20 poration rate at 20 poration rate at 22 pduct description nsity at 20 °C: ative density at 20 namic viscosity at 20 matic viscosity at 20 | 0 °C: 0 °C: 0 °C: n:) °C: 20 °C: t 20 °C: | | Non-applic 100 °C 2300 Pa 3164,83 Pa Non-applic 1,43 - 1,49 863,79 - 7 Non-applic | able * a (3,16 kPa) able * able * 57,47 cP able * | |
| Vol Boil Vap Vap Eva Pro Den Rela Dyn Kine | atility: ing point at atmost pour pressure at 20 poration rate at 20 oduct description nsity at 20 °C: ative density at 20 namic viscosity at ematic viscosity at ematic viscosity at | 0 °C: 0 °C: 0 °C: n:) °C: 20 °C: t 20 °C: | | Non-applic 100 °C 2300 Pa 3164,83 Pa Non-applic 1,43 - 1,49 863,79 - 7 Non-applic Non-applic | able * a (3,16 kPa) able * able * 57,47 cP able * able * | |
| Vol. Boill Vap Eva Pro Den Rela Dyn Kine Kine | atility: ing point at atmost pour pressure at 20 pour pressure at 20 poration rate at 20 oduct description nsity at 20 °C: ative density at 20 namic viscosity at 20 mamic viscosity at 20 ematic viscosity at ematic viscosity at ematic viscosity at | 0 °C: 0 °C: 0 °C: n:) °C: 20 °C: t 20 °C: | | Non-applic 100 °C 2300 Pa 3164,83 Pa Non-applic 1,43 - 1,49 863,79 - 7 Non-applic Non-applic Non-applic | able * a (3,16 kPa) able * able * 57,47 cP able * able * | |
| Vol Boil Vap Eva Den Rela Dyn Kine Con pH: | atility: ing point at atmospour pressure at 20 pour pressure at 20 poration rate at 20 oduct description nsity at 20 °C: ative density at 20 namic viscosity at 20 matic viscosity at ematic viscosity at ematic viscosity at contration: | 0 °C: 0 °C: n:) °C: 20 °C: t 20 °C: t 40 °C: | | Non-applic 100 °C 2300 Pa 3164,83 Pa Non-applic 1,43 - 1,49 863,79 - 7 Non-applic Non-applic Non-applic Non-applic 11 - 13 | able * a (3,16 kPa) able * able * 57,47 cP able * able * able * | |
| Vol. Boill Vap Eva Pro Den Rela Dyn Kine Kine Con pH: Vap | atility: ing point at atmospour pressure at 20 pour pressure at 20 poration rate at 20 oduct description nsity at 20 °C: ative density at 20 namic viscosity at 20 ematic viscosity at ematic viscosity at centration: | 0 °C: 0 °C: n:) °C: 20 °C: t 20 °C: t 40 °C: | | Non-applic 100 °C 2300 Pa 3164,83 Pa Non-applic 1,43 - 1,49 863,79 - 7 Non-applic Non-applic Non-applic 11 - 13 Non-applic | able * a (3,16 kPa) able * able * 57,47 cP able * able * able * | |
| Vol. Boill Vap Eva Pro Den Rela Dyn Kine Kine Con pH: Vap Part | atility: ing point at atmospour pressure at 20 pour pressure at 20 poration rate at 20 oduct description nsity at 20 °C: ative density at 20 namic viscosity at 20 matic viscosity at ematic viscosity at enatic viscosity at contration: | 0 °C: 0 °C: n: 0 °C: 20 °C: t 20 °C: t 40 °C: °C: -octanol/water 20 | °C: | Non-applic 100 °C 2300 Pa 3164,83 Pa Non-applic 1,43 - 1,49 863,79 - 7 Non-applic Non-applic 11 - 13 Non-applic Non-applic | able * a (3,16 kPa) able * able * 57,47 cP able * able * able * able * | |
| Vol Boil Vap Eva Eva Den Rela Dyn Kine Kine Con pH: Vap Part Solu | atility: ing point at atmospour pressure at 20 pour pressure at 20 poration rate at 20 oduct description nsity at 20 °C: ative density at 20 namic viscosity at ematic viscosity at ematic viscosity at ematic viscosity at cour density at 20 tition coefficient n ubility in water at | 0 °C: 0 °C: n: 0 °C: 20 °C: t 20 °C: t 40 °C: °C: -octanol/water 20 | °С: | Non-applic 100 °C 2300 Pa 3164,83 Pa Non-applic 1,43 - 1,49 863,79 - 7 Non-applic Non-applic Non-applic 11 - 13 Non-applic Non-applic Non-applic Non-applic Non-applic | able * a (3,16 kPa) able * able * 57,47 cP able * able * able * able * | |
| Vol Boil Vap Eva Pro Den Rela Dyn Kine Kine Con pH: Vap Part Solu | atility: ing point at atmospour pressure at 20 pour pressure at 20 poration rate at 20 poration rate at 20 poration rate at 20 poluct description nsity at 20 °C: ative density at 20 amic viscosity at 20 ematic viscosity at matic viscosity at ematic viscosity at centration: pour density at 20 tition coefficient n ubility in water at ubility properties: | 0 °C: 0 °C: 0 °C: n: 0 °C: 20 °C: t 20 °C: t 40 °C: °C: -octanol/water 20 20 °C: | °C: | Non-applic 100 °C 2300 Pa 3164,83 Pa Non-applic 1,43 - 1,49 863,79 - 7 Non-applic Non-applic Non-applic Non-applic Non-applic Non-applic Non-applic Non-applic Non-applic Non-applic | able * a (3,16 kPa) able * able * 57,47 cP able * able * able * able * able * | |
| Vol. Boill Vap Eva Pro Den Rela Dyn Kine Con pH: Vap Part Solu Solu | atility: ing point at atmospour pressure at 20 pour pressure at 20 poration rate at 20 oduct description nsity at 20 °C: ative density at 20 namic viscosity at ematic viscosity at ematic viscosity at ematic viscosity at cour density at 20 tition coefficient n ubility in water at | 0 °C: 0 °C: 0 °C: n: 0 °C: 20 °C: t 20 °C: t 40 °C: °C: -octanol/water 20 20 °C: erature: | °C: | Non-applic 100 °C 2300 Pa 3164,83 Pa Non-applic 1,43 - 1,49 863,79 - 7 Non-applic Non-applic Non-applic 11 - 13 Non-applic Non-applic Non-applic Non-applic Non-applic | able * a (3,16 kPa) able * able * 57,47 cP able * able * able * able * able * | |



| SECT | TON 9: PHYSICAL AND CHEMICAL PROPERTI | ES (continued) | | | | |
|------|---|-----------------------------------|--|--|--|--|
| | Explosive properties: | Non-applicable * | | | | |
| | Oxidising properties: | Non-applicable * | | | | |
| | Flammability: | | | | | |
| | Flash Point: | Non Flammable (>60 °C) | | | | |
| | Flammability (solid, gas): | Non-applicable * | | | | |
| | Autoignition temperature: | Non-applicable * | | | | |
| | Lower flammability limit: | Non-applicable * | | | | |
| | Upper flammability limit: | Non-applicable * | | | | |
| | Explosive: | | | | | |
| | Lower explosive limit: | Non-applicable * | | | | |
| | Upper explosive limit: | Non-applicable * | | | | |
| 9.2 | Other information: | | | | | |
| | Surface tension at 20 °C: | Non-applicable * | | | | |
| | Refraction index: | Non-applicable * | | | | |
| | *Not relevant due to the nature of the product, not providing inf | ormation property of its hazards. | | | | |

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight | Humidity |
|--------------------|------------------|-------------------------|----------------|----------------|
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| | | | | |

10.5 Incompatible materials:

| Acids | Water | Oxidising materials | Combustible materials | Others |
|--------------------|----------------|---------------------|-----------------------|----------------|
| Avoid strong acids | Not applicable | Not applicable | Not applicable | Not applicable |

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

LD50 oral > 2000 mg/kg (rat)

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met
- B- Inhalation (acute effect):



SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Acute toxicity : Based on available data, the classification criteria are not met
- Corrosivity/Irritability: Based on available data, the classification criteria are not met
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met
 - Contact with the eyes: Based on available data, the classification criteria are not met
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met IARC: Non-applicable
 - Mutagenicity: Based on available data, the classification criteria are not met
 - Reproductive toxicity: Based on available data, the classification criteria are not met
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met
 - Cutaneous: Based on available data, the classification criteria are not met
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met
 - Skin: Based on available data, the classification criteria are not met
- H- Aspiration hazard:

Based on available data, the classification criteria are not met

Other information:

Non-applicable

Specific toxicology information on the substances:

Not available

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Not available

12.2 Persistence and degradability:

Not available

12.3 Bioaccumulative potential:

Not available

- **12.4 Mobility in soil:** Not available
- **12.5** Results of PBT and vPvB assessment: Product fails to meet PBT/vPvB criteria
- 12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

| Code | Description | Waste class (Regulation (EU) No 1357/2014) |
|----------|--|---|
| 08 01 12 | waste paint and varnish other than those mentioned in 08 01 11 | Non dangerous |

Type of waste (Regulation (EU) No 1357/2014):



SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Non-applicable

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830)

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Non-applicable

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Non-applicable

Classification procedure:

Non-applicable



SECTION 16: OTHER INFORMATION (continued)

Advice related to training:

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu

http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5-day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LOg-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

Version: FDS.13013